

**TRANSMITTAL LETTER TO THE UNITED STATES  
DESIGNATED/ELECTED OFFICE (DO/EO/US)  
CONCERNING A FILING UNDER 35 U.S.C. 371**

ATTORNEY'S DOCKET NUMBER  
05725.0927  
Customer No.: 22,852

U.S. APPLICATION NO.  
(If known, see 37CFR1.5)

09/890805

INTERNATIONAL APPLICATION NO.

INTERNATIONAL FILING DATE

PRIORITY DATE CLAIMED

PCT/FR00/00271

February 4, 2000

February 5, 1999

TITLE OF INVENTION

**DETERGENT COSMETIC COMPOSITIONS AND USE**

APPLICANTS FOR DO/EO/US

**1) Serge RESTLE and 2) Nathalie GARNIER**

Applicant(s) herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:

1. ☒ This is a **FIRST** submission of items concerning a filing under 35 U.S.C. 371.
2. ☐ This is a **SECOND** or **SUBSEQUENT** submission of items concerning a filing under 35 U.S.C. 371.
3. ☐ This is an express request to begin national examination procedures (35 U.S.C. 371(f)). The submission must include items (5), (6), (9) and (21) indicated below.
4. ☒ The US has been elected by the expiration of 19 months from the priority date (Article 31).
5. ☒ A copy of the International Application as filed (35 U.S.C. 371 (c)(2)).
  - a. ☐ is attached hereto (required only if not communicated by the International Bureau).
  - b. ☒ has been communicated by the International Bureau.
  - c. ☐ is not required, as the application was filed with the United States Receiving Office (RO/US).
6. ☒ An English language translation of the International Application as filed (35 U.S.C. 371 (c)(2)).
  - a. ☒ is attached hereto.
  - b. ☐ has been previously submitted under 35 U.S.C. 154 (d)(4).
7. ☒ Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371 (c)(3)).
  - a. ☐ are attached hereto (required only if not communicated by the International Bureau).
  - b. ☐ have been communicated by the International Bureau.
  - c. ☐ have not been made; however, the time limit for making such amendments has NOT expired.
  - d. ☒ have not been made and will not be made.
8. ☐ An English language translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371 (c)(3)).
9. ☐ An oath or declaration of the inventor(s) (35 U.S.C. 371 (c)(4)).
10. ☐ An English language translation of the annexes of the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371 (c)(5)).

Items 11 to 20 below concern document(s) or information included:

11. ☒ Information Disclosure Statement under 37 CFR 1.97 and 1.98
12. ☐ An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included.
13. ☒ A FIRST preliminary amendment.
14. ☐ A SECOND or SUBSEQUENT preliminary amendment.
15. ☐ A Substitute specification.
16. ☐ A change of power of attorney and/or address letter.
17. ☐ A computer-readable form of the sequence listing in accordance with PCT Rule 13ter.2 and 35 U.S.C. 1.821-1.825.
18. ☐ A second copy of the published international application under 35 U.S.C. 154 (d)(4).
19. ☐ A second copy of the English language translation of the international application 35 U.S.C. 154 (d)(4).
20. ☒ Other items or information:
  - a. ☒ Copy of cover page of International Publication No. WO 00/45781 with English Abstract.
  - b. ☐ Copy of Notification of Missing Requirements.
  - c. ☐



**PATENT**  
**Customer No. 22,852**  
**Attorney Docket No. 05725.0927-00**

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re National Stage of International	)	
Application No. PCT/FR00/00271 of:	)	
	)	
<b>Serge RESTLE et al.</b>	)	Group Art Unit: Unassigned
	)	
Serial No.: Unassigned	)	Examiner: Unassigned
	)	
Filed: August 3, 2001	)	
	)	
For: DETERGENT COSMETIC	)	
COMPOSITIONS AND USE	)	

**PRELIMINARY AMENDMENT**

Assistant Commissioner for Patents  
Washington, DC 20231

Sir:

Prior to the examination of the above application, please amend this  
application as follows:

**IN THE CLAIMS:**

Please cancel Claims 1-23 and add the following new claims 24-76:

--24. A detergent and conditioning cosmetic composition comprising (A) a  
cosmetically acceptable aqueous medium, (B) a washing base comprising at least  
one anionic surfactant and at least one amphoteric surfactant, (C) at least one  
water-insoluble carboxylic acid ester chosen from

- 1)- monoesters derived from reacting saturated and unsaturated, linear and branched monocarboxylic acids with saturated and unsaturated, linear and branched monoalcohols,
- 2)- di- and triesters derived from reacting saturated and unsaturated, linear and branched di- and tricarboxylic acids with saturated and unsaturated, linear and branched monoalcohols,
- 3)- mono-, di- and triesters derived from reacting saturated and unsaturated, linear and branched di- and tricarboxylic acids with saturated and unsaturated, linear and branched dialcohols,
- 4)- monoesters derived from reacting saturated and unsaturated, linear and branched monocarboxylic acids with saturated and unsaturated, linear and branched dialcohols,
- 5)- di- and triesters derived from reacting saturated and unsaturated, linear and branched monocarboxylic acids with unsaturated dialcohols,
- 6)- di- and triesters derived from reacting saturated and unsaturated, linear and branched monocarboxylic acids with saturated dialcohols having more than 4 carbon atoms,
- 7)- mono- and diesters derived from reacting saturated and unsaturated, linear and branched monocarboxylic acids with saturated trialcohols,
- 8)- triesters derived from reacting saturated and unsaturated, linear and branched monocarboxylic acids with saturated trialcohols having more than 3 carbon atoms,
- 9)- mono-, di- and triesters derived from reacting saturated and unsaturated, linear and branched monocarboxylic acids with unsaturated trialcohols,

10)- mono-, di- and triesters derived from reacting saturated and unsaturated, linear and branched di- and tricarboxylic acids with saturated and unsaturated, linear and branched trialcohols,

the total number of carbon atoms of said at least one water-insoluble carboxylic acid ester not exceeding 27 if said at least one ester is saturated and not exceeding 50 if said at least one ester comprises at least one unsaturation,

the concentration of said at least one water-insoluble carboxylic acid ester in said composition being greater than 1% weight with respect to the total weight of the composition,

the composition being devoid of cationic surfactant, and

the anionic surfactant:amphoteric surfactant ratio by weight being less than or equal to 3:1.

25. The composition of claim 24 wherein said washing base is present at a content by weight ranging from 4% to 50% by weight with respect to the total weight of the composition.

26. The composition of claim 24 wherein said washing base is present at a content by weight ranging from 6% to 35% by weight with respect to the total weight of the composition.

27. The composition of claim 24 wherein said washing base is present at a content by weight ranging from 8% to 25% by weight with respect to the total weight of the composition.

28. The composition of claim 24 wherein said at least one anionic surfactant is present in concentrations ranging from 3 to 30% by weight with respect to the total weight of the composition.

29. The composition of claim 24 wherein said at least one anionic surfactant is present in concentrations ranging from 5 to 20% by weight with respect to the total weight of the composition.

30. The composition of claim 24 wherein said at least one amphoteric surfactant is present in concentrations ranging from 1 to 20% by weight with respect to the total weight of the composition.

31. The composition of claim 24 wherein said at least one amphoteric surfactant is present in concentrations ranging from 1.5 to 15% by weight respect to the total weight of the composition.

32. The composition of claim 24 wherein said anionic surfactant:amphoteric surfactant ratio by weight ranges from 0.2:1 to 3:1.

33. The composition of claim 24 wherein said anionic surfactant:amphoteric surfactant ratio by weight ranges from 0.4:1 to 2.5:1.

34. The composition of claim 24 wherein at least one water-insoluble carboxylic acid ester is chosen from:

1)- monoesters derived from reacting saturated and unsaturated, linear and branched C<sub>1</sub>-C<sub>49</sub> monocarboxylic acids with saturated and unsaturated, linear and branched C<sub>1</sub>-C<sub>49</sub> monoalcohols,

- 2)- di- and triesters derived from reacting saturated and unsaturated, linear and branched C<sub>2</sub>-C<sub>48</sub> di- and tricarboxylic acids with saturated and unsaturated, linear and branched C<sub>1</sub>-C<sub>49</sub> monoalcohols,
- 3)- mono-, di- and triesters derived from reacting saturated and unsaturated, linear and branched C<sub>2</sub>-C<sub>49</sub> di- and tricarboxylic acids with saturated and unsaturated, linear and branched C<sub>1</sub>-C<sub>49</sub> dialcohols,
- 4)- monoesters derived from reacting saturated and unsaturated, linear and branched C<sub>1</sub>-C<sub>48</sub> monocarboxylic acids with saturated and unsaturated, linear and branched C<sub>2</sub>-C<sub>49</sub> dialcohols,
- 5)- di- and triesters derived from reacting saturated and unsaturated, linear and branched C<sub>1</sub>-C<sub>46</sub> monocarboxylic acids with unsaturated C<sub>2</sub>-C<sub>48</sub> dialcohols,
- 6) di- and triesters derived from reacting saturated and unsaturated, linear and branched C<sub>1</sub>-C<sub>46</sub> monocarboxylic acids with saturated dialcohols having more than 4 carbon atoms,
- 7)- mono- and diesters derived from reacting saturated and unsaturated, linear and branched C<sub>1</sub>-C<sub>47</sub> monocarboxylic acids with saturated C<sub>3</sub>-C<sub>49</sub> trialcohols,
- 8)- triesters derived from reacting saturated and unsaturated, linear and branched C<sub>1</sub>-C<sub>46</sub> monocarboxylic acids with saturated trialcohols having more than 3 carbon atoms,
- 9)- mono-, di- and triesters derived from reacting saturated and unsaturated, linear and branched C<sub>1</sub>-C<sub>47</sub> monocarboxylic acids with unsaturated C<sub>3</sub>-C<sub>49</sub> trialcohols,

10)- mono-, di- and triesters derived from reacting saturated and unsaturated, linear and branched C<sub>2</sub>-C<sub>47</sub> di- and tricarboxylic acids with saturated and unsaturated, linear and branched C<sub>3</sub>-C<sub>48</sub> trialcohols,

35. The composition of claim 34 wherein at least one of said esters is chosen from the compounds from classes 1), 2), 4), 7) and 10).

36. The composition of claim 34 wherein said monocarboxylic acid of classes 1), 4), 5), 6), 7), 8) and 9) is chosen from saturated and unsaturated, linear and branched C<sub>3</sub>-C<sub>30</sub> monocarboxylic acids.

37. The composition of claim 34 wherein said monoalcohols of classes 1) and 2) are chosen from saturated and unsaturated, linear and branched C<sub>2</sub>-C<sub>30</sub> monoalcohols.

38. The composition of claim 34 wherein said di- and tricarboxylic acids of classes 2), 3) and 10) are chosen from saturated and unsaturated, linear and branched C<sub>3</sub>-C<sub>30</sub> di- and tricarboxylic acids.

39. The composition of claim 34 wherein said dialcohols of class 3) are chosen from saturated and unsaturated, linear and branched C<sub>2</sub>-C<sub>30</sub> dialcohols.

40. The composition of claim 34 wherein said dialcohols of class 4) are chosen from saturated and unsaturated, linear and branched C<sub>3</sub>-C<sub>30</sub> dialcohols.

41. The composition of claim 34 wherein said unsaturated dialcohols of class 5) are chosen from unsaturated C<sub>4</sub>-C<sub>30</sub> dialcohols.

42. The composition of claim 34 wherein said saturated dialcohols of class 5) are chosen from saturated C<sub>5</sub>-C<sub>48</sub> dialcohols.



43. The composition of claim 34 wherein said saturated dialcohols of class 5) are chosen from saturated C<sub>5</sub>-C<sub>30</sub> dialcohols.

44. The composition of claim 34 wherein said saturated trialcohols of class 7) are chosen from saturated C<sub>3</sub>-C<sub>30</sub> trialcohols.

45. The composition of claim 34 wherein said saturated trialcohols of class 8) are chosen from saturated C<sub>4</sub>-C<sub>47</sub> trialcohols.

46. The composition of claim 34 wherein said saturated trialcohols of class 8) are chosen from saturated C<sub>4</sub>-C<sub>30</sub> trialcohols.

47. The composition of claim 34 wherein said unsaturated trialcohols of class 9) are chosen from unsaturated C<sub>3</sub>-C<sub>30</sub> trialcohols.

48. The composition of claim 34 wherein said saturated and unsaturated, linear and branched trialcohols of class 10) are chosen from saturated and unsaturated, linear and branched C<sub>3</sub>-C<sub>30</sub> trialcohols.

49. A detergent and conditioning cosmetic composition comprising (A) a cosmetically acceptable aqueous medium, (B) a washing base comprising at least one anionic surfactant and at least one amphoteric surfactant, (C) at least one water-insoluble carboxylic acid ester chosen from:

cetyl lactate, C<sub>12</sub>-C<sub>15</sub> alkyl lactate, isostearyl lactate, lauryl lactate, linoleyl lactate, oleyl lactate, (iso)stearyl octanoate, isocetyl octanoate, octyl octanoate, cetyl octanoate, isodecyl octanoate, isononyl isononanoate, octyl isononanoate, 2-ethylhexyl isononate, octyl palmitate, octyl pelargonate, octyl stearate, octyldodecyl erucate, oleyl erucate, ethyl and isopropyl palmitates, 2-ethylhexyl palmitate,

isopropyl myristate, butyl myristate, hexyl stearate, butyl stearate, isobutyl stearate, hexyl laurate and tridecyl erucate, diethyl sebacate, diisopropyl sebacate, diisopropyl adipate, di(n-propyl) adipate, dioctyl adipate, dioctyl maleate, triisopropyl citrate, trioleyl citrate and dioctyl malate, propylene glycol monostearate, tripropylene glycol monostearate, diethylene glycol monostearate and diethylene glycol monooleate, glyceryl undecylenate, glyceryl monolaurate, glyceryl dilaurate, glyceryl monocaprate, glyceryl monocaprylate, glyceryl monostearate, glyceryl monooleate and glyceryl dioleate, glyceryl citrate and glyceryl monosuccinate.

50. The composition of claim 24 wherein said esters are present in concentrations ranging from 1.2 and 15% by weight with respect to the total weight of the composition.

51. The composition of claim 50 wherein said at least one ester is present in concentrations ranging from 1.5 to 10% by weight with respect to the total weight of the composition.


52. The composition of claim 50 wherein said at least one ester is present in concentrations ranging from 2 to 8% by weight with respect to the total weight of the composition.

53. The composition of claim 24 wherein said composition additionally comprises at least one cationic polymer.

54. The composition of claim 53 wherein said at least one cationic polymer is chosen from quaternary derivatives of cellulose ether, diallyldimethylammonium salt homopolymers and copolymers of diallyldimethylammonium salt and of at least

one monomer chosen from acrylamide, cationic polysaccharides, quaternary copolymers of vinylpyrrolidone and vinylimidazole salt.

55. The composition as claimed in claim 53 wherein said cationic polymer is chosen from polymers, comprising repeat units corresponding to the formula:



in which R<sub>1</sub>, R<sub>2</sub>, R<sub>3</sub> and R<sub>4</sub> are identical and different and denote a radical chosen from alkyl and hydroxyalkyl radicals having from 1 to 4 carbon atoms, n and p are integers ranging from 2 to 20, and X<sup>-</sup> is an anion derived from an acid.

56. The composition of claim 53 wherein said at least one cationic polymer ranges from 0.005% to 10% by weight of the total weight of the composition.

57. The composition of claim 53 wherein said at least one cationic polymer ranges from 0.1% to 5% by weight of the total weight of the composition.

58. The composition of claim 53 wherein said at least one cationic polymer ranges from 0.25% to 3% by weight of the total weight of the composition.

59. The composition of claim 24 wherein said composition additionally comprises at least one water-soluble salt.

60. The composition of claim 59 wherein said at least one water-soluble salt is chosen from salts derived from reacting metals chosen from monovalent metals and divalent metals with an acid.

61. The composition of claim 60 wherein said at least one water-soluble salt is chosen from sodium chloride, potassium chloride, calcium chloride, magnesium sulfate, sodium citrate, and the sodium salts of phosphoric acid.

62. The composition of claim 60, wherein said at least one water-soluble salt is present at concentrations ranging from 0.1 to 10% by weight with respect to the total weight of the composition.

63. The composition of claim 60, wherein said at least one water-soluble salt is present at concentrations ranging from 0.5 to 5% by weight with respect to the total weight of the composition.

64. The composition of claim 24 wherein said composition additionally comprises at least one water-soluble alcohol.

65. The composition of claim 64 wherein said at least one water-soluble alcohol is chosen from C<sub>1</sub>-C<sub>6</sub> alcohols.

66. The composition of claim 64 wherein said at least one water-soluble alcohol is chosen from ethanol, isopropanol, tert-butanol and n-butanol.

67. The composition of claim 64 wherein said at least one water-soluble alcohol is chosen from polyols.

68. The composition of claim 64 wherein said at least one water-soluble alcohol is chosen from alkylene glycols.

69. The composition of claim 64 wherein said at least one water-soluble alcohol is chosen from propylene glycol, propylene glycerol, polyalkylene glycols, and glycol ethers.

70. The composition of claim 64 wherein said at least one water-soluble alcohol is present in concentrations ranging from 0.1 to 20% by weight respect to the total weight of the composition.

71. The composition of claim 64 wherein said at least one water-soluble alcohol is present in concentrations ranging from 0.2 to 10% by weight respect to the total weight of the composition.

72. The composition of claim 24 wherein said composition additionally comprises at least one adjuvant chosen from cationic surface-active agents, anionic, nonionic and amphoteric polymers, proteins, protein hydrolysates, ceramides, pseudoceramides, fatty acids comprising linear or branched C<sub>16</sub>-C<sub>40</sub> chains, hydroxy acids, vitamins, panthenol, volatile and nonvolatile silicones, UV screening agents, moisturizing agents, antidandruff agents, antiseborrheic agents, agents for combating free radicals, and opacifying agents.

73. The composition of claim 72 wherein said fatty acid comprising linear or branched C<sub>16</sub>-C<sub>40</sub> chains is 18-methyl-eicosanoic acid.

74. A method for cleaning and/or removing makeup from a keratinous substance comprising applying to said keratinous substance an effective amount of a composition comprising (A) a cosmetically acceptable aqueous medium, (B) a washing base comprising at least one anionic surfactant and at least one amphoteric surfactant, (C) at least one water-insoluble carboxylic acid ester chosen from

- 1)- monoesters derived from reacting saturated and unsaturated, linear and branched monocarboxylic acids with saturated and unsaturated, linear and branched monoalcohols,
- 2)- di- and triesters derived from reacting saturated and unsaturated, linear and branched di- and tricarboxylic acids with saturated and unsaturated, linear and branched monoalcohols,
- 3)- mono-, di- and triesters derived from reacting saturated and unsaturated, linear and branched di- and tricarboxylic acids with saturated and unsaturated, linear and branched dialcohols,
- 4)- monoesters derived from reacting saturated and unsaturated, linear and branched monocarboxylic acids with saturated and unsaturated, linear and branched dialcohols,
- 5)- di- and triesters derived from reacting saturated and unsaturated, linear and branched monocarboxylic acids with unsaturated dialcohols,
- 6)- di- and triesters derived from reacting saturated and unsaturated, linear and branched monocarboxylic acids with saturated dialcohols having more than 4 carbon atoms,
- 7)- mono- and diesters derived from reacting saturated and unsaturated, linear and branched monocarboxylic acids with saturated trialcohols,
- 8)- triesters derived from reacting saturated and unsaturated, linear and branched monocarboxylic acids with saturated trialcohols having more than 3 carbon atoms,
- 9)- mono-, di- and triesters derived from reacting saturated and unsaturated, linear and branched monocarboxylic acids with unsaturated trialcohols,

10)- mono-, di- and triesters derived from reacting saturated and unsaturated, linear and branched di- and tricarboxylic acids with saturated and unsaturated, linear and branched trialcohols,

the total number of carbon atoms of said at least one water-insoluble carboxylic acid ester not exceeding 27 if said at least one ester is saturated and not exceeding 50 if said at least one ester comprises at least one unsaturation,

the concentration of said at least one water-insoluble carboxylic acid ester in said composition being greater than 1% weight with respect to the total weight of the composition,

the composition being devoid of cationic surfactant, and

the anionic surfactant:amphoteric surfactant ratio by weight being less than or equal to 3:1.

75. A process for washing and for conditioning a keratinous substance comprising:

applying to a wetted said substance an effective amount of the composition comprising (A) a cosmetically acceptable aqueous medium, (B) a washing base comprising at least one anionic surfactant and at least one amphoteric surfactant, (C) at least one water-insoluble carboxylic acid ester chosen from

1)- monoesters derived from reacting saturated and unsaturated, linear and branched monocarboxylic acids with saturated and unsaturated, linear and branched monoalcohols,

- 2)- di- and triesters derived from reacting saturated and unsaturated, linear and branched di- and tricarboxylic acids with saturated and unsaturated, linear and branched monoalcohols,
- 3)- mono-, di- and triesters derived from reacting saturated and unsaturated, linear and branched di- and tricarboxylic acids with saturated and unsaturated, linear and branched dialcohols,
- 4)- monoesters derived from reacting saturated and unsaturated, linear and branched monocarboxylic acids with saturated and unsaturated, linear and branched dialcohols,
- 5)- di- and triesters derived from reacting saturated and unsaturated, linear and branched monocarboxylic acids with unsaturated dialcohols,
- 6)- di- and triesters derived from reacting saturated and unsaturated, linear and branched monocarboxylic acids with saturated dialcohols having more than 4 carbon atoms,
- 7)- mono- and diesters derived from reacting saturated and unsaturated, linear and branched monocarboxylic acids with saturated trialcohols,
- 8)- triesters derived from reacting saturated and unsaturated, linear and branched monocarboxylic acids with saturated trialcohols having more than 3 carbon atoms,
- 9)- mono-, di- and triesters derived from reacting saturated and unsaturated, linear and branched monocarboxylic acids with unsaturated trialcohols,
- 10)- mono-, di- and triesters derived from reacting saturated and unsaturated, linear and branched di- and tricarboxylic acids with saturated and unsaturated, linear and branched trialcohols,



the total number of carbon atoms of said at least one water-insoluble carboxylic acid ester not exceeding 27 if said at least one ester is saturated and not exceeding 50 if said at least one ester comprises at least one unsaturation, the concentration of said at least one water-insoluble carboxylic acid ester in said composition being greater than 1% weight with respect to the total weight of the composition, the composition being devoid of cationic surfactant, and the anionic surfactant:amphoteric surfactant ratio by weight being less than or equal to 3:1,

optionally leaving said composition in said keratinous substances for a chosen time, and

rinsing with water.

76. A process according to claim 75 wherein said keratinous substance is hair.--

#### **REMARKS**

Claims 1 through 23 have been cancelled without prejudice or disclaimer and their subject matter rewritten as new claims 24-76. After entering this preliminary amendment, claims 24 through 76 are pending. Claims 24 through 76 have been added to place the claims in better conformity with U.S. patent practice. Support for new claims 24 through 76 can be found in the specification as filed and original claims 1 through 23. Therefore, no issue of new matter is raised. Accordingly,

Applicants respectfully request examination of this application and timely allowance of the pending claims.

If there is any fee due in connection with the filing of this Preliminary Amendment, please charge the fee to our Deposit Account No. 06-0916.

Respectfully submitted,

FINNEGAN, HENDERSON, FARABOW,  
GARRETT & DUNNER, L.L.P.

By: 

Thomas L. Irving  
Reg. No. 28,619

Dated: August 3, 2001

WO 00/45781

PCT/FR00/00271

1

DETERGENT COSMETIC COMPOSITIONS AND USE

- The present invention relates to novel cosmetic compositions with improved properties intended
- 5 simultaneously for cleaning and for conditioning keratinous substances, such as the hair, and comprising, in a cosmetically acceptable aqueous vehicle, at least one anionic surfactant, at least one amphoteric surfactant and at least one specific
- 10 carboxylic acid ester, the anionic surfactant/amphoteric surfactant ratio by weight being less than or equal to 3. The invention also relates to the use of said compositions in the abovementioned cosmetic application.
- 15 Detergent compositions (such as shampoos) based essentially on conventional surface-active agents of, in particular, anionic, non-ionic and/or amphoteric type, but more particularly of anionic type, are commonly used for cleaning and/or washing keratinous
- 20 substances, such as the hair. These compositions are applied to wet hair and the foam generated by massaging or rubbing with the hands makes it possible, after rinsing with water, to remove the various types of dirt initially present on the hair or the skin.
- 25 These base compositions certainly have a good washing power but the intrinsic cosmetic properties which are attached to them remain fairly weak, however,

in particular because of the fact that the relatively aggressive nature of such a cleaning treatment can, in the long term, result in more or less marked damage to the hair fiber, related in particular to the gradual  
5 removal of the lipids or proteins held in or at the surface of the hair fiber.

Consequently, in order to improve the cosmetic properties of the above detergent compositions, and more particularly of those which are  
10 called upon to be applied to sensitized hair (i.e. hair which is found to be damaged or embrittled, in particular under the chemical action of atmospheric agents and/or of hair treatments, such as permanent waves, dyeings or bleachings), it is now usual to  
15 introduce, into the latter, additional cosmetic agents, known as conditioning agents, intended mainly to repair or limit the harmful or undesirable effects induced by the various treatments or attacks to which the hair fibers are more or less repeatedly subjected. These  
20 conditioning agents can, of course, also improve the cosmetic behavior of natural hair.

Provision has already been made to use insoluble conditioning agents for this purpose. These insoluble compounds exhibit the disadvantage of being  
25 difficult to maintain as an even dispersion in the medium.

Provision has already been made, in order to maintain them in suspension, to use ester or ether derivatives comprising a long chain (dispersing agents) or polysaccharides, such as xanthan gum (gelling agents). However, the dispersing agents exhibit problems of crystallization, which sometimes result in a change (increase) in the viscosity of the compositions over time; the gelling agents also exhibit disadvantages, namely, on the one hand, that the foam of the detergent compositions comprising polysaccharides is difficult to develop (poor initiation of foam) and that, on the other hand, the compositions do not have a smooth texture and flow in waves, which is not very highly appreciated by the users. Furthermore, these various agents do not make it possible to obtain transparent or clear compositions.

The aim of the present invention is to provide compositions which do not exhibit the disadvantages of the abovementioned compositions.

The conditioning agents must also be carried on the treated keratinous substances with a view to conferring on them, depending on the application, properties of softness, of gloss and of disentangling.

Thus, following considerable research carried out on the question, it has now been found by the Applicant Company that, by using a specific washing base, at least one specific carboxylic acid ester, it

is possible to obtain stable detergent compositions exhibiting excellent cosmetic properties, in particular the disentangling and the sleekness of the treated hair, and having good properties during use, such as a  
5 good intrinsic washing power and a good foaming power.

The industrial implementation is extremely easy and the cosmetic properties of the shampoos are excellent.

The compositions obtained are stable on  
10 storage, without requiring the addition of an agent for dispersing and/or suspending the ester according to the invention.

In the absence of additional insoluble compounds, the compositions obtained are also  
15 transparent. They can comprise significant amounts of carboxylic acid ester while retaining good transparency and while having good cosmetic properties.

The compositions in accordance with the invention confer on the hair, in particular after  
20 rinsing, a notable treating effect which is displayed in particular by an ease of disentangling and a contribution of sleekness, softness and suppleness, without any feeling of greasiness.

Thus, a subject-matter of the present  
25 invention is novel detergent and conditioning cosmetic compositions, characterized in that they comprise, in a cosmetically acceptable aqueous medium, (A) a washing

- base comprising at least one anionic surfactant and at least one amphoteric surfactant, (B) at least one water-insoluble carboxylic acid ester chosen from
- 1)- monoesters of saturated or unsaturated and linear or branched monocarboxylic acids and of saturated or unsaturated and linear or branched monoalcohols,
  - 2)- di- or triesters of saturated or unsaturated and linear or branched di- or tricarboxylic acids and of saturated or unsaturated and linear or branched monoalcohols,
  - 3)- mono-, di- or triesters of saturated or unsaturated and linear or branched di- or tricarboxylic acids and of saturated or unsaturated and linear or branched dialcohols,
  - 4)- monoesters of saturated or unsaturated and linear or branched monocarboxylic acids and of saturated or unsaturated and linear or branched dialcohols,
  - 5)- di- or triesters of saturated or unsaturated and linear or branched monocarboxylic acids and of unsaturated dialcohols of any kind or of saturated dialcohols having more than 4 carbon atoms,
  - 6)- mono- or diesters of saturated or unsaturated and linear or branched monocarboxylic acids and of saturated trialcohols,
  - 7)- triesters of saturated or unsaturated and linear or branched monocarboxylic acids and of saturated trialcohols having more than 3 carbon atoms,

8)- mono-, di- or triesters of saturated or unsaturated and linear or branched monocarboxylic acids and of unsaturated trialcohols,

9)- mono-, di- or triesters of saturated or unsaturated  
5 and linear or branched di- or tricarboxylic acids and of saturated or unsaturated and linear or branched trialcohols,  
the total number of carbon atoms of the ester not exceeding 27 if it is not unsaturated and 50 if it

10 comprises at least one unsaturation,  
the concentration of the ester being greater than 1%,  
the composition being devoid of cationic surfactant,  
and  
the anionic surfactant/amphoteric surfactant ratio by  
15 weight being less than or equal to 3.

The presence of cationic surfactants in the compositions according to the invention results in a deterioration in the cosmetic performances of said compositions.

20 Another subject-matter of the invention is the use in cosmetics of the above compositions for cleaning and/or removing makeup from and/or conditioning keratinous substances, such as the hair and the skin.

25 The term "devoid of cationic surfactant" is understood to mean that the composition comprises less than 0.3% by weight of cationic surfactant with respect



to the total weight of the composition, preferably less than 0.1% by weight, and more particularly that the concentration of cationic surfactant is zero. The term "cationic surfactant" does not denote cationic surface-active polymers. Surface-active polymers are not excluded from the composition.

A- WASHING BASE:

The washing base comprises one or more anionic surfactants and one or more amphoteric surfactants.

(i) Anionic surfactant(s):

Their nature does not assume a really critical character within the context of the present invention.

Thus, mention may in particular be made, by way of example of anionic surfactants which can be used, alone or as mixtures, in the context of the present invention, of (nonlimiting list) the salts (in particular alkali metal, especially sodium, salts, ammonium salts, amine salts, aminoalcohol salts or magnesium salts) of the following compounds: alkyl sulfates, alkyl ether sulfates, alkylamido ether sulfates, alkylaryl polyether sulfates or monoglyceride sulfates; alkyl sulfonates, alkyl phosphates, alkylamide sulfonates, alkylaryl sulfonates,  $\alpha$ -olefin sulfonates or paraffin sulfonates; alkyl sulfosuccinates, alkyl ether sulfosuccinates or

alkylamide sulfosuccinates; alkylsulfosuccinamates;  
 alkyl sulfoacetates; alkyl ether phosphates;  
 acylsarcosinates; acylisethionates and N-acyltaurates,  
 the alkyl or acyl radical of all these different  
 5 compounds preferably comprising from 12 to 20 carbon  
 atoms and the aryl radical preferably denoting a phenyl  
 or benzyl group. Mention may also be made, among the  
 anionic surfactants which can be further used, of the  
 salts of fatty acids, such as the salts of oleic,  
 10 ricinoleic, palmitic or stearic acid, or the acids of  
 coconut oil or of hydrogenated coconut oil; or  
 acyllactylates in which the acyl radical comprises 8 to  
 20 carbon atoms. Use may also be made of weakly anionic  
 surfactants, such as alkyl D-galactoside uronic acids  
 15 and their salts, as well as of polyoxyalkylenated ( $C_6$ -  
 $C_{24}$ )alkyl ether carboxylic acids, polyoxyalkylenated  
 ( $C_6$ - $C_{24}$ )alkylaryl ether carboxylic acids,  
 polyoxyalkylenated ( $C_6$ - $C_{24}$ )alkylamido ether carboxylic  
 acids and their salts, in particular those comprising  
 20 from 2 to 50 ethylene oxide groups, and their mixtures.


Use is preferably made of an anionic surface-  
 active agent chosen from sodium, triethanolamine or  
 ammonium ( $C_{12}$ - $C_{14}$ )alkyl sulfates, sodium ( $C_{12}$ - $C_{14}$ )alkyl  
 ether sulfates oxyethylenated with 2.2 mol of ethylene  
 25 oxide, sodium cocoylisethionate and sodium  $\alpha$ -( $C_{14}$ - $C_{16}$ )-  
 olefin sulfonate.

Among the anionic surfactants, it is preferable to use, according to the invention, alkyl sulfate and alkyl ether sulfate salts and their mixtures.

5 (iii) Amphoteric surfactant(s):

The amphoteric surface-active agents, the nature of which does not assume any critical character within the context of the present invention, may be in particular (nonlimiting list) derivatives of aliphatic  
 10 secondary or tertiary amines in which the aliphatic radical is a linear or branched chain comprising 8 to 22 carbon atoms and comprising at least one water-solubilizing anionic group (for example carboxylate, sulfonate, sulfate, phosphate or phosphonate); mention  
 15 may also be made of (C<sub>8</sub>-C<sub>20</sub>)alkyl betaines, sulfobetaines, (C<sub>8</sub>-C<sub>20</sub>)alkyl amido(C<sub>1</sub>-C<sub>6</sub>)alkyl betaines or (C<sub>8</sub>-C<sub>20</sub>)alkyl amido(C<sub>1</sub>-C<sub>6</sub>)alkyl sulfobetaines.


Mention may be made, among the amine derivatives, of the products sold under the name  
 20 Miranol®, as disclosed in Patents US-2,528,378 and US-2,781,354 and with structures:



25 in which: R<sub>2</sub> denotes an alkyl radical derived from an acid R<sub>2</sub>-COOH present in hydrolyzed coconut oil or a heptyl, nonyl or undecyl radical, R<sub>3</sub> denotes a

$\beta$ -hydroxyethyl group and  $R_4$  denotes a carboxymethyl group;

and



5 in which:

B represents  $-CH_2CH_2OX'$ , C represents  $-(CH_2)_z-Y'$ , with  $z = 1$  or  $2$ ,

$X'$  denotes the  $-CH_2CH_2-COOH$  group or a hydrogen atom

10  $Y'$  denotes  $-COOH$  or the  $-CH_2-CHOH-SO_3H$  radical

$R_2'$  denotes an alkyl radical of an acid  $R_3-COOH$  present in hydrolyzed linseed oil or coconut oil, an alkyl radical, in particular a  $C_7$ ,  $C_9$ ,  $C_{11}$  or  $C_{13}$  radical, a  $C_{17}$  alkyl radical and its iso form, or an unsaturated  $C_{17}$

15 radical.

These compounds are classified in the CTFA dictionary, 5th Edition, 1993, under the names Disodium Cocoamphodiacetate, Disodium Lauroamphodiacetate, Disodium Caprylamphodiacetate, Disodium

20 Capryloamphodiacetate, Disodium Cocoamphodipropionate, Disodium Lauroamphodipropionate, Disodium Caprylamphodipropionate, Disodium Capryloamphodipropionate, Lauroamphodipropionic acid and Cocoamphodipropionic acid.

25 Mention may be made, by way of example, of the cocoamphodiacetate sold under the trade name Miranol® C2M concentrate by the company Rhône-Poulenc.

According to the present invention, it is more particularly preferred to use the amphoteric surface-active agents belonging to the group of the betaines, such as the alkyl betaines, in particular the cocoyl betaine sold under the name "Dehyton AB 30" as an aqueous solution comprising 30% of AM by the company Henkel, or the alkylamido betaines, such as Tegobetaine® F50, sold by the company Goldschmidt.

The minimum amount of washing base is that just sufficient to confer a satisfactory foaming and/or detergent power on the final composition, and excessively large amounts of washing base do not really contribute additional advantages.

Thus, according to the invention, the washing base can represent from 4% to 50% by weight, preferably from 6% to 35% by weight and more preferably still from 8% to 25% by weight of the total weight of the final composition.

By way of indication, the detergent compositions in accordance with the invention generally exhibit the following compositions:

(i) anionic surfactant(s): from 3 to 30% by weight, preferably from 5 to 20% by weight, with respect to the total weight of the detergent composition;

(ii) amphoteric surfactant(s): from 1 to 20% by weight, preferably from 1.5 to 15% by weight, with respect to the total weight of the composition.

The anionic surfactant/amphoteric surfactant ratio by weight is preferably between 0.2 and 3, more particularly between 0.4 and 2.5.

#### B- Carboxylic acid esters

The water-insoluble carboxylic acid esters according to the invention are insoluble in water at a concentration of greater than or equal to 0.1% by weight in water at 25°C, that is to say that they do not form a transparent isotropic solution in water.

The water-insoluble carboxylic acid esters according to the invention can comprise hydroxyl groups.

The carboxylic acid esters according to the invention are generally chosen from:

1)- monoesters of saturated or unsaturated and linear or branched C<sub>1</sub>-C<sub>49</sub>, preferably C<sub>3</sub>-C<sub>30</sub>, monocarboxylic acids and of saturated or unsaturated and linear or branched C<sub>1</sub>-C<sub>49</sub>, preferably C<sub>2</sub>-C<sub>30</sub>, monoalcohols.

Mention may be made, among these monomers, of cetyl lactate, C<sub>12</sub>-C<sub>15</sub> alkyl lactate, isostearyl lactate, lauryl lactate, linoleyl lactate, oleyl lactate, (iso)stearyl octanoate, isocetyl octanoate, octyl octanoate, cetyl octanoate, isodecyl octanoate, isononyl isononanoate, octyl isononanoate, 2-ethylhexyl

isononate, octyl palmitate, octyl pelargonate, octyl  
 stearate, octyldodecyl erucate, oleyl erucate, ethyl  
 and isopropyl palmitates, 2-ethylhexyl palmitate,  
 isopropyl myristate, butyl myristate, hexyl stearate,  
 5 butyl stearate, isobutyl stearate, hexyl laurate or  
 tridecyl erucate.

2)- di- or triesters of saturated or unsaturated and  
 linear or branched  $C_2-C_{48}$ , preferably  $C_3-C_{30}$ , di- or  
 tricarboxylic acids and of saturated or unsaturated and  
 10 linear or branched  $C_1-C_{49}$ , preferably  $C_2-C_{30}$ ,  
 monoalcohols.

Mention may be made, among these esters, of  
 diethyl sebacate, diisopropyl sebacate, diisopropyl  
 adipate, di(n-propyl) adipate, dioctyl adipate, dioctyl  
 15 maleate, triisopropyl citrate, trioctyl citrate or  
 dioctyl malate.

3)- mono-, di- or triesters of saturated or unsaturated  
 and linear or branched  $C_2-C_{49}$ , preferably  $C_3-C_{30}$ , di- or  
 tricarboxylic acids and of saturated or unsaturated and  
 20 linear or branched  $C_1-C_{49}$ , preferably  $C_2-C_{30}$ , dialcohols.

Mention may be made, among these esters, of  
 propylene glycol dicaprylate and dicaprate.

4)- monoesters of saturated or unsaturated and linear  
 or branched  $C_1-C_{48}$ , preferably  $C_3-C_{30}$ , monocarboxylic  
 25 acids and of saturated or unsaturated and linear or  
 branched  $C_2-C_{49}$ , preferably  $C_3-C_{30}$ , dialcohols.

Mention may be made, among these esters, of propylene glycol monostearate, tripropylene glycol monostearate, diethylene glycol monostearate or diethylene glycol monooleate.

- 5 5)- di- or triesters of saturated or unsaturated and linear or branched  $C_1-C_{46}$ , preferably  $C_3-C_{30}$ , monocarboxylic acids and of unsaturated  $C_2-C_{48}$ , preferably  $C_4-C_{30}$ , dialcohols or of saturated dialcohols having more than 4 carbon atoms and preferably  $C_5-C_{48}$
- 10 dialcohols and more particularly still  $C_5-C_{30}$  dialcohols.

- Mention may be made, among these esters, of neopentyl glycol dilaurate, dipropylene glycol dioctanoate, 2-butene-1,4-diol dioctanoate or 2-butene-1,4-diol distearate.
- 15 1,4-diol distearate.

- 6)- mono- or diesters of saturated or unsaturated and linear or branched  $C_1-C_{47}$ , preferably  $C_3-C_{30}$ , monocarboxylic acids and of saturated  $C_3-C_{49}$ , preferably  $C_3-C_{30}$ , trialcohols.

- 20 Mention may be made, among these esters, of glyceryl undecylenate, glyceryl monolaurate, glyceryl dilaurate, glyceryl monocaprinate, glyceryl monocaprylate, glyceryl monostearate, glyceryl monooleate or glyceryl dioleate.

- 25 7)- triesters of saturated or unsaturated and linear or branched  $C_1-C_{46}$ , preferably  $C_3-C_{30}$ , monocarboxylic acids and of saturated trialcohols having more than 3 carbon



atoms and preferably C<sub>4</sub>-C<sub>47</sub> trialcohols and more particularly C<sub>4</sub>-C<sub>30</sub> trialcohols.

Mention may be made, among these esters, of trimethylolpropane trihexanoate or 1,2,6-hexanetriol

5 tripentanoate.

8)- mono-, di- or triesters of saturated or unsaturated and linear or branched C<sub>1</sub>-C<sub>47</sub>, preferably C<sub>3</sub>-C<sub>30</sub>, monocarboxylic acids and of unsaturated C<sub>3</sub>-C<sub>49</sub>, preferably C<sub>3</sub>-C<sub>30</sub>, trialcohols.

10 Mention may be made, among these esters, of 2,5-dimethyl-3-hexyne-1,2,5-triol laurate.

9)- mono-, di- or triesters of saturated or unsaturated and linear or branched C<sub>2</sub>-C<sub>47</sub>, preferably C<sub>3</sub>-C<sub>30</sub>, di- or tricarboxylic acids and of saturated or unsaturated and  
15 linear or branched C<sub>3</sub>-C<sub>48</sub>, preferably C<sub>3</sub>-C<sub>30</sub>, trialcohols.

Mention may be made, among these esters, of glyceryl citrate or glyceryl monosuccinate.

The carboxylic acid esters are more  
20 particularly chosen from the compounds from classes 1), 2), 4), 6) and 9).

The carboxylic acid ester or esters can be used in the compositions in accordance with the invention in concentrations generally of between 1.2  
25 and 15% and preferably between 1.5 and 10% by weight with respect to the total weight of the composition and more particularly still from 2 to 8% by weight.

According to an embodiment of the invention, the compositions can additionally comprise a water-soluble salt and/or a water-soluble mono- or polyhydroxyl alcohol.

5           According to another embodiment of the invention, the compositions comprising monoesters of monocarboxylic acid and of monoalcohol, the total carbon number of which is greater than or equal to 24 and less than or equal to 27, mono- and diesters of  
10 saturated monoacids and of glycerol, the total carbon number of which is greater than or equal to 17, or diesters of branched monoalcohols and of unsaturated diacids generally comprise a water-soluble salt and/or a water-soluble mono- or polyhydroxyl alcohol.

15           The term "water-soluble in water" is understood to mean compounds which are soluble in water at a concentration of greater than or equal to 0.1% by weight in water at 25°C, that is to say that they form a transparent isotropic solution.

20           The water-soluble salts according to the invention are preferably salts of mono- or divalent metals and of an inorganic or organic acid.

          Mention may in particular be made of sodium chloride, potassium chloride, calcium chloride,  
25 magnesium sulfate, sodium citrate or the sodium salts of phosphoric acid. Preferably, monovalent metal salts are used. Sodium chloride is particularly preferred.

The water-soluble salts are generally present at concentrations of between 0.1 and 10% by weight and preferably between 0.5 and 5% by weight with respect to the total weight of the composition.

5           The water-soluble mono- or polyhydroxyl alcohols are in particular lower  $C_1$ - $C_6$  alcohols, such as ethanol, isopropanol, tert-butanol or n-butanol, polyols, such as alkylene glycols, for example propylene glycol or glycerol, and polyalkylene glycols, 10 or glycol ethers.

          The water-soluble alcohol or alcohols can be used in concentrations generally of between 0.1 and 20% by weight and more particularly between 0.2 and 10% by weight with respect to the total weight of the 15 composition.

          The detergent compositions according to the invention exhibit a final pH generally of between 3 and 8. This pH is preferably between 4 and 6.5. The pH can be conventionally adjusted to the desired value by 20 addition of a base (organic or inorganic) to the composition, for example sodium hydroxide, aqueous ammonia or a primary, secondary or tertiary (poly)amine, such as monoethanolamine, diethanolamine, triethanolamine, isopropanolamine or 1,3- 25 propanediamine, or alternatively by addition of an inorganic or organic acid, preferably citric acid or hydrochloric acid.

The cosmetically acceptable aqueous medium can be composed solely of water or of a mixture of water and of a cosmetically acceptable solvent.

The compositions in accordance with the invention can comprise, in addition to the combination defined above, viscosity regulating agents, such as thickening agents. Mention may in particular be made of scleroglucans, xanthan gums, fatty acid alkanolamides, alkyl ether carboxylic acid alkanolamides optionally oxyethylenated with up to 5 mol of ethylene oxide, such as the product sold under the name "Aminol A15" by the company Chem Y, crosslinked poly(acrylic acid)s and crosslinked acrylic acid/C<sub>10</sub>-C<sub>30</sub> alkyl acrylate copolymers. These viscosity regulating agents are used in the compositions according to the invention in proportions which can range up to 10% by weight with respect to the total weight of the composition.

The compositions in accordance with the invention can also comprise up to 5% of pearlescent or opacifying agents well known in the state of the art, such as, for example, fatty alcohols, sodium or magnesium palmitates, sodium or magnesium stearates and hydroxystearates, fatty alcohol, acylated derivatives comprising a fatty chain, such as ethylene glycol or polyethylene glycol distearates, or ethers comprising fatty chains, such as, for example, distearyl ether or 1-(hexadecyloxy)-2-octadecanol.

The compositions in accordance with the invention can additionally optionally comprise other agents having the effect of improving the cosmetic properties of hair or of the skin without, however, detrimentally affecting the stability of the compositions. Mention may be made, in this respect, of cationic surface-active agents, anionic or nonionic or cationic or amphoteric polymers, proteins, protein hydrolysates, ceramides, pseudoceramides, fatty acids comprising linear or branched  $C_{16}$ - $C_{40}$  chains, such as 18-methyleicosanoic acid, hydroxy acids, vitamins, panthenol, volatile or nonvolatile silicones, other than the silicones of the invention, which are soluble and insoluble in the medium, UV screening agents, moisturizing agents, antidandruff or antiseborrheic agents, agents for combating free radicals, and their mixtures.

According to a particularly preferred form, the compositions according to the invention additionally comprise at least one cationic polymer.

The cationic polymers which can be used in accordance with the present invention can be chosen from all those already known per se as improving the cosmetic properties of hair treated with detergent compositions, namely, in particular, those disclosed in patent application EP-A-0,337,354 and in French patent

applications FR-A-2,270,846, 2,383,660, 2,598,611,  
2,470,596 and 2,519,863.


In a still more general way, within the  
meaning of the present invention, the expression  
5 "cationic polymer" denotes any polymer comprising  
cationic groups and/or groups which can be ionized to  
cationic groups.

The cationic polymers which can be used  
according to the invention preferably have a cationic  
10 charge density of greater than or equal to 0.2 meq/g  
and more particularly of between 0.2 and 8.5 meq/g.

Among all the cationic polymers capable of  
being used in the context of the present invention,  
preference is given to the employment of quaternary  
15 derivatives of cellulose ether, such as the products  
sold under the name "JR 400" by the company Union  
Carbide Corporation, cyclopolymers, in particular  
diallyldimethylammonium salt homopolymers and  
copolymers of diallyldimethylammonium salt and of  
20 acrylamide, in particular the chlorides, sold under the  
names "Merquat 100", "Merquat 550" and "Merquat S" by  
the company Merck, cationic polysaccharides and more  
particularly guar gums modified by  
2,3-epoxypropyltrimethylammonium chloride, sold, for  
25 example, under the name "Jaguar C13S" by the company  
Meyhall, optionally crosslinked homopolymers and  
copolymers of (meth)acryloyloxyethyltrimethylammonium

salt, sold by the company Allied Colloids as a 50% solution in mineral oil under the trade names Salcare SC92 (crosslinked copolymer of methacryloyloxyethyltrimethylammonium chloride and of acrylamide) and Salcare SC95 (crosslinked homopolymer of methacryloyloxyethyltrimethylammonium chloride), or quaternary copolymers of vinylpyrrolidone and of vinylimidazole salt, such as the products sold by BASF under the names Luviquat FC 370, Luviquat FC 550, Luviquat FC 905 and Luviquat HM-552.

Use may also be made of polymers which are composed of repeat units corresponding to the formula:



in which  $\text{R}_1$ ,  $\text{R}_2$ ,  $\text{R}_3$  and  $\text{R}_4$ , which are identical or different, denote an alkyl or hydroxyalkyl radical having from 1 to 4 carbon atoms approximately,  $n$  and  $p$  are integers varying from 2 to 20 approximately and  $\text{X}^-$  is an anion derived from an inorganic or organic acid.

A particularly preferred compound of formula (I) is that in which  $\text{R}_1$ ,  $\text{R}_2$ ,  $\text{R}_3$  and  $\text{R}_4$  represent a methyl radical and  $n = 3$ ,  $p = 6$  and  $\text{X} = \text{Cl}$ , known as Hexadimethrine chloride according to the INCI (CTFA) nomenclature.

According to the invention, the cationic polymer or polymers can represent from 0.001% to 10% by

weight, preferably from 0.005% to 5% by weight and more preferably still from 0.01% to 3% by weight of the total weight of the final composition.

The compositions according to the invention  
5 can also comprise foam synergists, such as C<sub>10</sub>-C<sub>18</sub> 1,2-alkanediols or fatty alkanolamides derived from mono- or from diethanolamine.

Of course, a person skilled in the art will take care to choose this or these optional additional  
10 compounds and/or their amounts so that the solubility of the carboxylic acid esters according to the invention, the stability of the composition and the cosmetic properties intrinsically attached to the composition in accordance with the invention are not,  
15 or not substantially, detrimentally affected by the envisaged addition or additions. The addition of certain compounds, such as pearlescent agents, can render the composition nontransparent.

The transparency can be measured by the  
20 turbidity with a Hach Model 2100 P turbidimeter at 25°C (the device is calibrated with formazine). The turbidity of the compositions according to the invention (in the absence of additional insoluble compounds) is then generally between 0.05 and 100 NTU  
25 and preferably less than 50 NTU. When the ester according to the invention is in the form of dispersed



particles, the size of these particles is preferably less than 5 nanometers.

The foaming power of the compositions according to the invention, characterized by a foam height, is generally greater than 75 mm, preferably greater than 100 mm, measured according to the modified Ross-Miles method (NF T 73-404/ISO696).

The modifications to the method are as follows:

The measurement is carried out at a temperature of 22°C with osmosed water. The concentration of the solution is 2 g/l. The height of the drop is 1 m. The amount of composition which drops is 200 ml. These 200 ml of composition falls in a measuring cylinder with a diameter of 50 mm containing 50 ml of the composition to be tested. The measurement is carried out 5 minutes after the composition has finished being run in.

These compositions can be provided in the form of more or less thickened liquids, of creams or of gels and they are mainly suitable for washing or caring for keratinous substances, in particular the hair and the skin and more particularly still the hair.

Another subject-matter of the invention is a process for washing and for conditioning keratinous substances, such as, in particular, the hair, which consists in applying, to wetted said substances, an effective amount of the composition as defined above

and in then rinsing with water, after an optional  
leave-in time.

The compositions according to the invention  
are preferably used as shampoos for washing and  
5 conditioning the hair and they are applied, in that  
case, to wet hair in amounts which are effective for  
washing it, and the foam generated by massaging or  
rubbing with the hands is subsequently removed, after  
an optional leave-in time, by rinsing with water, it  
10 being possible for the operation to be repeated one or  
more times.

The compositions in accordance with the  
invention can also be used as shower gels for washing  
and conditioning the hair and/or the skin, in which  
15 case they are applied to the wet skin and/or hair and  
are rinsed after application.

Concrete but in no way limiting examples  
illustrating the invention will now be given.

**EXAMPLE 1**

Four shampoo compositions in accordance with the invention were prepared.

	1	2	3	4
- Sodium lauryl ether sulfate (70/30 C <sub>12</sub> /C <sub>14</sub> ), comprising 2.2 mol of ethylene oxide, as an aqueous solution comprising 70% of AM	15 g AM	15 g AM	5.25 g AM	15 g AM
- Cocoyl betaine comprising 30% of AM (Dehyton AB 30)	5 g AM	5 g AM	9 g AM	5 g AM
- Isopropyl palmitate	2 g			
- Isodecyl neopentanoate		2 g		6 g
- Isopropyl myristate			2 g	
- Diallyldimethylammonium chloride homopolymer as an aqueous solution comprising 40% of AM (Merquat 100 from Calgon)	0.4 g AM	0.4 g AM	0.4 g AM	0.4 g AM
- NaCl	4 g	4 g	4 g	4 g
- Fragrance, preservative	q.s.	q.s.	q.s.	q.s.

- Hydrochloric acid, q.s. pH	6.2	6.3	6.8	6.3
- Demineralized water, q.s.	100g	100g	100g	100g
Turbidity (NTU)	41.7	11.9	8.5	7

Composition 1 to 4 according to the invention are transparent and stable (the transparency is evaluated by turbidimetry in NTU (Nephelometric  
5 turbidity units)).

Hair treated with these compositions readily disentangles and is smooth from the root of the hair to the tip.

#### EXAMPLE 2

10 Four shampoo compositions in accordance with the invention were prepared.

	5	6	7	8	9
- Sodium lauryl ether sulfate (70/30 C <sub>12</sub> /C <sub>14</sub> ), comprising 2.2 mol of ethylene oxide, as an aqueous solution comprising 70% of AM (AM = active material)	15 g AM	15 g AM	10 g AM	15 g AM	15 g AM

- Cocoyl betaine comprising 30% of AM (Dehyton AB 30)	5 g AM	5 g AM	10 g AM	5 g AM	5 g AM
- Octyldodecyl ricinoleate				1.2 g	
- Myristyl lactate		2 g			
- Isopropyl myristate	2 g		6 g		
- Di(diisopropyl linoleate)					1.2 g
- Polyquaternium-10 (JR 400 from Union Carbide)	0.4 g AM	0.4 g AM		0.4 g AM	
- NaCl					4 g
- Fragrance, preservative	q.s.	q.s.	q.s.	q.s.	q.s.
- Hydrochloric acid, q.s. pH	6.1	6.1	6.1	6.5	6.5
- Demineralized water, q.s.	100 g	100 g	100 g	100 g	100 g
Turbidity (NTU)	2.9	4.2	2.9	6.5	8.2

Composition 5 to 8 according to the invention are transparent and stable.

Hair treated with these compositions readily disentangles and is smooth from the root of the hair to  
5 the tip.

CLAIMS

1. A detergent and conditioning cosmetic composition, characterized in that it comprises, in a  
5 cosmetically acceptable aqueous medium, (A) a washing base comprising at least one anionic surfactant and at least one amphoteric surfactant, (B) at least one water-insoluble carboxylic acid ester chosen from
- 1) - monoesters of saturated or unsaturated and linear  
10 or branched monocarboxylic acids and of saturated or unsaturated and linear or branched monoalcohols,
  - 2) - di- or triesters of saturated or unsaturated and linear or branched di- or tricarboxylic acids and of saturated or unsaturated and linear or branched  
15 monoalcohols,
  - 3) - mono-, di- or triesters of saturated or unsaturated and linear or branched di- or tricarboxylic acids and of saturated or unsaturated and linear or branched dialcohols,
  - 20 4) - monoesters of saturated or unsaturated and linear or branched monocarboxylic acids and of saturated or unsaturated and linear or branched dialcohols,
  - 5) - di- or triesters of saturated or unsaturated and linear or branched monocarboxylic acids and of  
25 unsaturated dialcohols of any kind or of saturated dialcohols having more than 4 carbon atoms,

- 6)- mono- or diesters of saturated or unsaturated and linear or branched monocarboxylic acids and of saturated trialcohols,
- 7)- triesters of saturated or unsaturated and linear or branched monocarboxylic acids and of saturated trialcohols having more than 3 carbon atoms,
- 8)- mono-, di- or triesters of saturated or unsaturated and linear or branched monocarboxylic acids and of unsaturated trialcohols,
- 9)- mono-, di- or triesters of saturated or unsaturated and linear or branched di- or tricarboxylic acids and of saturated or unsaturated and linear or branched trialcohols, the total number of carbon atoms of the ester not exceeding 27 if it is not unsaturated and 50 if it comprises at least one unsaturation, the concentration of the ester being greater than 1%, the composition being devoid of cationic surfactant, and
- the anionic surfactant/amphoteric surfactant ratio by weight being less than or equal to 3.

2. The composition as claimed in claim 1, characterized in that said washing base is present at a content by weight of between 4% and 50% by weight with respect to the total weight of the composition, preferably of between 6 and 35% by weight and more preferably of between 8% and 25% by weight.

3. The composition as claimed in either one of claims 1 and 2, characterized in that the anionic surfactant(s) is (are) present in concentrations ranging from 3 to 30% by weight, preferably from 5 to 20% by weight, with respect to the total weight of the composition.

4. The composition as claimed in any one of claims 1 to 3, characterized in that the amphoteric surfactant(s) is (are) present in concentrations ranging from 1 to 20% by weight, preferably from 1.5 to 15% by weight, with respect to the total weight of the composition.

5. The composition as claimed in any one of claims 1 to 4, characterized in that the anionic surfactant/amphoteric surfactant ratio by weight is between 0.2 and 3 and more particularly between 0.4 and 2.5.

6. The composition as claimed in any one of claims 1 to 5, characterized in that said esters are chosen from:

- 1)- monoesters of saturated or unsaturated and linear or branched  $C_1-C_{49}$ , preferably  $C_3-C_{30}$ , monocarboxylic acids and of saturated or unsaturated and linear or branched  $C_1-C_{49}$ , preferably  $C_2-C_{30}$ , monoalcohols,
- 2)- di- or triesters of saturated or unsaturated and linear or branched  $C_2-C_{48}$ , preferably  $C_3-C_{30}$ , di- or tricarboxylic acids and of saturated or unsaturated and



linear or branched  $C_1-C_{49}$ , preferably  $C_2-C_{30}$ ,  
monoalcohols,

- 3)- mono-, di- or triesters of saturated or unsaturated and linear or branched  $C_2-C_{49}$ , preferably  $C_3-C_{30}$ , di- or
- 5 tricarboxylic acids and of saturated or unsaturated and linear or branched  $C_1-C_{49}$ , preferably  $C_2-C_{30}$ , dialcohols,
- 4)- monoesters of saturated or unsaturated and linear or branched  $C_1-C_{48}$ , preferably  $C_3-C_{30}$ , monocarboxylic acids and of saturated or unsaturated and linear or
- 10 branched  $C_2-C_{49}$ , preferably  $C_3-C_{30}$ , dialcohols,
- 5)- di- or triesters of saturated or unsaturated and linear or branched  $C_1-C_{46}$ , preferably  $C_3-C_{30}$ , monocarboxylic acids and of unsaturated  $C_2-C_{48}$ , preferably  $C_4-C_{30}$ , dialcohols or of saturated dialcohols
- 15 having more than 4 carbon atoms and preferably  $C_5-C_{48}$  dialcohols and more particularly still  $C_5-C_{30}$  dialcohols,
- 6)- mono- or diesters of saturated or unsaturated and linear or branched  $C_1-C_{47}$ , preferably  $C_3-C_{30}$ ,
- 20 monocarboxylic acids and of saturated  $C_3-C_{49}$ , preferably  $C_3-C_{30}$ , trialcohols,
- 7)- triesters of saturated or unsaturated and linear or branched  $C_1-C_{46}$ , preferably  $C_3-C_{30}$ , monocarboxylic acids and of saturated trialcohols having more than 3 carbon
- 25 atoms and preferably  $C_4-C_{47}$  trialcohols and more particularly  $C_4-C_{30}$  trialcohols,

8)- mono-, di- or triesters of saturated or unsaturated and linear or branched  $C_1-C_{47}$ , preferably  $C_3-C_{30}$ , monocarboxylic acids and of unsaturated  $C_3-C_{49}$ , preferably  $C_3-C_{30}$ , trialcohols,

- 5 9)- mono-, di- or triesters of saturated or unsaturated and linear or branched  $C_2-C_{47}$ , preferably  $C_3-C_{30}$ , di- or tricarboxylic acids and of saturated or unsaturated and linear or branched  $C_3-C_{48}$ , preferably  $C_3-C_{30}$ , trialcohols.

- 10 7. The composition as claimed in claim 6, characterized in that said esters are chosen from the compounds from classes 1), 2), 4), 6) and 9).

8. The composition as claimed in either one of claims 6 and 7, characterized in that said esters  
15 are chosen from:

- cetyl lactate,  $C_{12}-C_{15}$  alkyl lactate, isostearyl lactate, lauryl lactate, linoleyl lactate, oleyl lactate, (iso)stearyl octanoate, isocetyl octanoate, octyl octanoate, cetyl octanoate, isodecyl octanoate,  
20 isononyl isononanoate, octyl isononanoate, 2-ethylhexyl isononate, octyl palmitate, octyl pelargonate, octyl stearate, octyldodecyl erucate, oleyl erucate, ethyl and isopropyl palmitates, 2-ethylhexyl palmitate, isopropyl myristate, butyl myristate, hexyl stearate,  
25 butyl stearate, isobutyl stearate, hexyl laurate or tridecyl erucate,

diethyl sebacate, diisopropyl sebacate, diisopropyl adipate, di(n-propyl) adipate, dioctyl adipate, dioctyl maleate, triisopropyl citrate, trioctyl citrate or dioctyl malate,

- 5 propylene glycol monostearate, tripropylene glycol monostearate, diethylene glycol monostearate or diethylene glycol monooleate, glyceryl undecylenate, glyceryl monolaurate, glyceryl dilaurate, glyceryl monocaprate, glyceryl
- 10 monocaprylate, glyceryl monostearate, glyceryl monooleate or glyceryl dioleate, glyceryl citrate or glyceryl monosuccinate.


9. The composition as claimed in any one of claims 1 to 8, characterized in that said esters are
- 15 present in concentrations of between 1.2 and 15% and preferably between 1.5 and 10% by weight with respect to the total weight of the composition and more particularly still from 2 to 8% by weight.

10. The composition as claimed in any one of
- 20 claims 1 to 9, characterized in that the composition additionally comprises at least one cationic polymer.

11. The composition as claimed in claim 10, characterized in [lacuna] the cationic polymer is chosen from quaternary derivatives of cellulose ether,
- 25 diallyldimethylammonium salt homopolymers and copolymers of diallyldimethylammonium salt and of acrylamide, cationic polysaccharides, or quaternary

copolymers of vinylpyrrolidone and of vinylimidazole salt.

12. The composition as claimed in claim 10, characterized in [lacuna] the cationic polymer is  
5 chosen from polymers which are composed of repeat units corresponding to the formula:



- in which R<sub>1</sub>, R<sub>2</sub>, R<sub>3</sub> and R<sub>4</sub>, which are identical or different, denote an alkyl or hydroxyalkyl radical  
10 having from 1 to 4 carbon atoms approximately, n and p are integers varying from 2 to 20 approximately and X<sup>-</sup> is an anion derived from an inorganic or organic acid.

13. The composition as claimed in any one of claims 10 to 12, characterized in that said cationic  
15 polymer represents from 0.05% to 10% by weight, preferably from 0.1% to 5% by weight and more preferably still from 0.25% to 3% by weight of the total weight of the composition.

14. The composition as claimed in any one of claims 1 to 13, characterized in that the composition  
20 additionally comprises at least one water-soluble salt.

15. The composition as claimed in claim 14, characterized in [lacuna] the water-soluble salts are salts of mono- or divalent metals and of an inorganic  
25 or organic acid.

16. The composition as claimed in either one of claims 14 and 15, characterized in [lacuna] the water-soluble salts are chosen from sodium chloride, potassium chloride, calcium chloride, magnesium sulfate, sodium citrate, or the sodium salts of phosphoric acid.

17. The composition as claimed in any one of claims 14 to 16, characterized in that the water-soluble salts are present at concentrations of between 10 0.1 and 10% by weight and preferably between 0.5 and 5% by weight with respect to the total weight of the composition.

18. The composition as claimed in any one of claims 1 to 17, characterized in that the composition 15 additionally comprises at least one water-soluble alcohol.

19. The composition as claimed in claim 18, characterized in that the water-soluble alcohols are lower C<sub>1</sub>-C<sub>6</sub> alcohols, such as ethanol, isopropanol, 20 tert-butanol or n-butanol, polyols, such as alkylene glycols, for example propylene glycol or glycerol, and polyalkylene glycols, or glycol ethers.

20. The composition as claimed in either one of claims 18 and 19, characterized in that the water- 25 soluble alcohols are used in concentrations generally of between 0.1 and 20% by weight and more particularly

between 0.2 and 10% by weight with respect to the total weight of the composition.

21. The composition as claimed in any one of claims 1 to 20, characterized in that it additionally  
5 comprises one or more adjuvants chosen by cationic surface-active agents, anionic or nonionic or amphoteric polymers, proteins, protein hydrolysates, ceramides, pseudoceramides, fatty acids comprising linear or branched C<sub>16</sub>-C<sub>40</sub> chains, such as 18-methyl-  
10 eicosanoic acid, hydroxy acids, vitamins, panthenol, volatile or nonvolatile silicones which are soluble or insoluble in the medium, UV screening agents, moisturizing agents, antidandruff or antiseborrheic agents, agents for combating free radicals, opacifying  
15 agents, and their mixtures.

22. Use of the composition as defined in any one of claims 1 to 21 for cleaning and/or removing makeup from keratinous substances.

23. A process for washing and for  
20 conditioning keratinous substances, such as the hair, which consists in applying, to wetted said substances, an effective amount of the composition as defined in any one of claims 1 to 21 and in then rinsing with water, after an optional leave-in time.

**Declaration and Power of Attorney for Patent Application****Déclaration et Pouvoir pour Demand de Brevet****French Language Declaration**

En tant que l'inventeur nommé ci-après, je déclare par le présent acte que:

Mon domicile, mon adresse postale et ma nationalité sont ceux figurant ci-dessous à côté de mon nom.

Je crois être le premier inventeur original et unique (si un seul nom est mentionné ci-dessous), ou l'un des premiers co-inventeurs originaux (si plusieurs noms sont mentionnés ci-dessous) de l'objet revendiqué, pour lequel une demande de brevet a été déposée concernant l'invention intitulée

et dont la description est fournie ci-joint à moins que la case suivante n'ait été cochée:

☒ a été déposée le \_\_\_\_\_  
sous le numéro de demande des Etats-Unis ou le  
numéro de demande international PCT  
\_\_\_\_\_ et modifiée  
\_\_\_\_\_ (les cas échéant).

Je déclare par le présent acte avoir passé en revue et compris le contenu de la description ci-dessus, revendications comprises, telles que modifiées par toute modification dont il aura été fait référence ci-dessus.

Je reconnais devoir divulguer toute information pertinente à la brevetabilité, comme défini dans le Titre 37, § 1.56 du Code fédéral des réglementations.

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

DETERGENT COSMETIC COMPOSITIONS AND USE

the specification of which is attached hereto unless the following box is checked:

☒ was filed on February 4, 2000 as United States Application Number or PCT International Application Number PCT/FR00/00271 and was amended on \_\_\_\_\_ (if applicable).

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above

I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, § 1.56.

**French Language Declaration**

Je revendique par le présent acte avoir la priorité étrangère, en vertu du Titre 35, § 119(a)-(d) ou § 365(b) du Code des Etats-Unis, sur toute demande étrangère de brevet ou certificat d'inventeur ou, en vertu du Titre 35, § 365(a) du même Code, sur toute demande internationale PCT désignant au moins un pays autre que les Etats-Unis et figurant ci-dessous et, en cochant la case, j'ai aussi indiqué ci-dessous toute demande étrangère de brevet, tout certificat d'inventeur ou toute demande internationale PCT ayant une date de dépôt précédant celle de la demande à propos de laquelle une priorité est revendiquée.

Prior foreign application(s)  
Demande(s) de brevet antérieure(s)

Priority Not Claimed  
Droit de priorité non revendiqué

99/01386 \_\_\_\_\_ France \_\_\_\_\_  
(Number) (Country)  
(Numéro) (Pays)  
  
(Number) (Country)  
(Numéro) (Pays)

5 February 1999 \_\_\_\_\_ ☐  
(Day/Month/Year Filed)  
(Jour/Mois/Anné de dépôt)  
  
(Day/Month/Year Filed)  
(Jour/Mois/Anné de dépôt)

Je revendique par le présent acte tout bénéfice, en vertu du Titre 35, § 119(e) du Code des Etats-Unis, de toute demande de brevet provisoire effectuée aux Etats-Unis et figurant ci-dessous.

(Application No.) (Filing Date)  
(N° de demande) (Date de dépôt)  
  
(Application No.) (Filing Date)  
(N° de demande) (Date de dépôt)

I hereby claim the benefit under Title 35, United States Code, § 119(c) of any United States provisional application(s) listed below.

Je revendique par le présent acte tout bénéfice, en vertu du Titre 35, § 120 du Code des Etats-Unis, de toute demande de brevet effectuée aux Etats-Unis, ou en vertu du Titre 35, § 365(c) du même Code, de toute demande internationale PCT désignant les Etats-Unis et figurant ci-dessous et, dans la mesure où l'objet de chacune des revendications de cette demande de brevet n'est pas divulgué dans la demande antérieure américaine ou internationale PCT, en vertu des dispositions du premier paragraphe du Titre 35, § 112 du Code des Etats-Unis, je reconnais devoir divulguer toute information pertinente à la brevetabilité, comme défini dans le Titre 37, § 1.56 du Code fédéral des réglementations, dont laquelle est devenue disponible entre la date de dépôt de la demande antérieure, et la date de dépôt de la demande nationale ou internationale PCT de la présente demande:

(Application No.) (Filing Date)  
(N° de demande) (Date de dépôt)  
  
(Application No.) (Filing Date)  
(N° de demande) (Date de dépôt)

(Status) (patented, pending, abandoned)  
(Status) (breveté, en cours d'examen, abandonné)  
  
(Status) (patented, pending, abandoned)  
(Status) (breveté, en cours d'examen, abandonné)

Je déclare par le présent acte que toute déclaration ci-incluse est, à ma connaissance, véridique et que toute déclaration formulée à partir de renseignements ou de suppositions est tenue pour véridique; et de plus, que toutes ces déclarations ont été formulées en sachant que toute fausse déclaration volontaire ou son équivalent est passible d'une amende ou d'une incarcération, ou des deux, en vertu de la Section 1001 du Titre 18 du Code des Etats-Unis, et que de telles déclarations volontairement fausses risquent de compromettre la validité de la demande de brevet ou du brevet délivré à partir de celle-ci.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.



## French Language Declaration

POUVOIRS: En tant que l'inventeur cité, je désigne par la présente l'(les) avocat(s) et/ou agent(s) suivant(s) pour qu'ils poursuive(nt) la procédure de cette demande de brevet et traite(nt) toute affaire s'y rapportant avec L'Office des brevets et des marques: (mentionner le nom et le numéro d'enregistrement).

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this patent application and transact all business in the Patent and Trademark Office connected therewith: (list name and registration number):

FINNEGAN, HENDERSON, FARABOW, GARRETT & DUNNER, L.L.P., Reg. No. 22,540; Douglas B. Henderson, Reg. No. 20,291; Ford F. Farabow, Jr., Reg. No. 20,630; Arthur S. Garrett, Reg. No. 20,338; Donald R. Dunner, Reg. No. 19,073; Brian G. Brunsvoild, Reg. No. 22,593; Tipton D. Jennings, IV, Reg. No. 20,645; Jerry D. Voight, Reg. No. 23,029; Laurence R. Richter, Reg. No. 20,827; Kenneth E. Payne, Reg. No. 23,098; Herbert H. Mintz, Reg. No. 26,691; C. Larry O'Rourke, Reg. No. 26,014; Albert J. Santorelli, Reg. No. 22,610; Michael C. Elmer, Reg. No. 25,857; Richard H. Smith, Reg. No. 20,609; Stephen L. Peterson, Reg. No. 26,325; John M. Romary, Reg. No. 26,331; Bruce C. Zotter, Reg. No. 27,680; Dennis P. O'Reilly, Reg. No. 27,932; Allen M. Sokal, Reg. No. 26,695; Robert D. Bejefsky, Reg. No. 25,387; Richard L. Stroup, Reg. No. 28,478; David W. Hill, Reg. No. 28,220; Thomas L. Irving, Reg. No. 28,619; Charles E. Lipsey, Reg. No. 28,165; Thomas W. Winland, Reg. No. 27,605; Basil J. Lewis, Reg. No. 28,818; Martin I. Fuchs, Reg. No. 28,508; E. Robert Yoches, Reg. No. 30,120; Barry W. Graham, Reg. No. 29,924; Susan Haberman Chiffen, Reg. No. 30,907; Richard B. Racine, Reg. No. 30,413; Thomas H. Jenkins, Reg. No. 30,857; Robert E. Couverse, Jr., Reg. No. 27,432; Clair X. Mullen, Jr., Reg. No. 20,348; Christopher P. Foley, Reg. No. 31,354; John C. Paul, Reg. No. 30,413; Roger D. Taylor, Reg. No. 28,992; David M. Kelly, Reg. No. 30,953; Kenneth J. Meyers, Reg. No. 25,146; Carol P. Einaudi, Reg. No. 32,220; Walter Y. Boyd, Jr., Reg. No. 31,728; Steven M. Anzaloni, Reg. No. 32,045; Jean B. Fordis, Reg. No. 32,284; Barbara C. McCurdy, Reg. No. 32,120; James K. Hammond, Reg. No. 31,964; Richard V. Burguijan, Reg. No. 31,744; J. Michael Jakes, Reg. No. 32,824; Dirk D. Thomas, Reg. No. 32,600; Thomas W. Banks, Reg. No. 32,719; Christopher P. Isaac, Reg. No. 32,616; Bryan C. Diner, Reg. No. 32,409; M. Paul Barker, Reg. No. 32,013; Andrew Chanho Sonu, Reg. No. 33,457; David S. Forman, Reg. No. 33,694; Vincent P. Kovalick, Reg. No. 32,867; James W. Edmondson, Reg. No. 33,871; Michael R. McGurk, Reg. No. 32,045; Joann M. Neth, Reg. No. 36,363; Gerson S. Panitch, Reg. No. 33,751; Cheri M. Taylor, Reg. No. 33,216; Charles E. Van Horn, Reg. No. 40,266; Linda A. Wadler, Reg. No. 33,218; Jeffrey A. Berkowitz, Reg. No. 36,743; Michael R. Kelly, Reg. No. 33,921; and James B. Monroe, Reg. No. 33,971; and Thalia V. Warnement, Reg. No. 39,064; Michele C. Bosch, Reg. No. 40,524; Allen R. Jensen, Reg. No. 28,224; Mark D. Sweet, Reg. No. 41,469; and Anthony M. Gutowski, Reg. No. 38,742.

Addresser toute correspondance à:

Send all Correspondence to:

FINNEGAN, HENDERSON, FARABOW, GARRETT & DUNNER, L.L.P.  
1300 I Street, N.W., Washington, D.C. 20005,  
Telephone No. (202) 408-4000.

Addresser tout appel téléphonique à:  
(nom et numéro de téléphone)

Direct all Telephone Calls to:  
(name and telephone number)

Thomas L. Irving, Reg. No. 28,619  
Telephone Number (202) 408-4082

Nom complet de l'unique ou premier inventeur:		Full name of sole or first inventor Serge RESTLE	
Signature de l'inventeur	Date	Inventor's signature Serge Restle	Date 8 aout 2001
Domicile	Residence 38, rue du Maréchal Joffre, F-95390 Saint Prix, France, FA		
Nationalité:	Citizenship French		
Adresse postale:	Post Office Address Same as residence		
Nom complet du second co-inventeur, le cas échéant:		Full name of second joint inventor, if any: Nathalie GARNIER	
Signature du second inventeur	Date	Second Inventor's signature Garnier	Date 10 Juiller 2001
Domicile:	Residence 2001 Park Place, Springfield, NJ 07081 2345 Promenade Place SCOTCH PLAINS, NJ 07076 ETATS - UNIS		
Nationalité:	Citizenship French		
Adresse postale:	Post Office Address Same as residence		
Nom complet du third co-inventeur, le cas échéant:		Full name of third joint inventor, if any:	
Signature d'inventeur	Date	Third Inventor's signature	Date
Domicile	Residence		
Nationalité:	Citizenship		
Adresse postale:	Post Office Address Same as residence		